


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application. In amendments to the claims, additions are represented by underlining and deletions are represented by ~~striketrough~~ or, in cases of five characters or fewer, by **[[double brackets]]**.

LISTING OF CLAIMS

1.-20. (Canceled)

21. (Currently Amended) A compound of formula (VI):



VI

or a salt thereof, wherein:

R4, R5, R7 and R8 are independently hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkenyl, lower alkynyl, substituted lower alkynyl, alkylalkenyl, alkyl alkynyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, heteroalkyl, cycloalkyl, substituted cycloalkyl, alkylcycloalkyl, alkylcycloheteroalkyl, nitro, cyano, -CONH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl;

~~R4 is hydrogen, halogen, thiol, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkenyl, lower alkynyl, substituted lower alkynyl, alkylalkenyl, alkyl alkynyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, heteroalkyl, cycloalkyl, substituted cycloalkyl, alkylcycloalkyl, alkylcycloheteroalkyl, nitro, cyano, -CONHNH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl;~~

R6 is hydrogen, halogen, CN, NO₂, NH₂, or -OR, wherein R is C1-C10 alkyl or arylalkyl;

R9 is hydrogen, C1-C10 alkyl, aryl, or halogen;

x is CR11 **[[or N]]**;

y is CR12 or N;

z is CR13 or N;

r is CR14 or N;

x' is CR15 **[[or N]]**;

y' is CR16 or N;

z' is CR17 or N;

r' is CR18 or N;

R10 is H, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkenyl, lower alkynyl, substituted lower alkynyl, methoxy, aryl, substituted aryl, heteroaryl, substituted heteroaryl, acyl or -SO₂PhCH₃;

R11, R12, R14, R15, R16 and R18 are independently hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkenyl, lower alkynyl, substituted lower alkynyl, alkylalkenyl, alkyl alkynyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, heteroalkyl, cycloalkyl, substituted cycloalkyl, alkylcycloalkyl, alkylcycloheteroalkyl, nitro, cyano, $-N=CRR'$, wherein R and R' are independently selected from H, alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, substituted heterocycle, heteroaryl, substituted heteroaryl; or

$-NHC(S)NH$ -phenyl (substituted or unsubstituted); and,

R13 and R17 are independently hydrogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkenyl, lower alkynyl, substituted lower alkynyl, alkylalkenyl, alkyl alkynyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, heteroalkyl, cycloalkyl, substituted cycloalkyl, alkylcycloalkyl, alkylcycloheteroalkyl, nitro, cyano, $-N=CRR'$, wherein R and R' are independently selected from H, alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, substituted heterocycle, heteroaryl, substituted heteroaryl; or $-NHC(S)NH$ -phenyl (substituted or unsubstituted).

22. (Currently Amended) The compound according to claim 21, wherein:

R4, R5, R7 and R8 are independently hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, $-CONHNH_2$ or $-S(O)_{0-2}R$ wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl; ~~and,~~

~~**R4 is hydrogen, halogen, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, $-CONHNH_2$ or $-S(O)_{0-2}R$ wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl.**~~

23. (Withdrawn) The compound according to claim 21, wherein:

x is CR11;

y is CR12;

z is CR13;

r is CR14;

x' is CR15;

y' is CR16;

z' is CR17; and

r' is CR18.

24. (Canceled)

25. (Previously Presented) The compound according to claim 21, wherein:

x is CR11;

y is CR12;

z is CR13;

r is CR14 or N;


x' is CR15;

y' is CR16;


z' is CR17; and

r' is CR18 or N.


26. (Previously Presented) The compound according to claim 21, selected from:




88




89




90




94




97




99




100




101




102




103




104




105




106




113




114




117




118




119




123




124




126




127




129




130




131




132




133




134




135




136




139




142




143




145




146




147




155




156




157




158




161




164




165




167




168




169




170




172




173




174




175




176




177




178




179




185




186




187















188




189




190







203




204




205




206




207




208




209




210












211
























212







214









27. (Previously Presented) A pharmaceutical composition comprising the compound of claim 21 and a pharmaceutically acceptable carrier.
28. (Withdrawn) A method of treating cancer in a mammal, comprising administering to said mammal an effective amount of a compound of claim 21 or a pharmacologically acceptable salt thereof.
29. (Withdrawn) The method of claim 28, wherein said cancer is a solid tumour.
30. (Withdrawn) The method of claim 28, wherein said cancer is selected from the group of: breast cancer, central nervous system cancer, cervical cancer, colon cancer, liver cancer, lung cancer, melanoma, ovarian cancer, pancreatic cancer, prostate cancer, renal cancer, and leukemia.
31. (Withdrawn) The method of claim 28, wherein said compound is administered in combination with an anti-cancer agent.

32. (Withdrawn) The method of claim 28, wherein said mammal is a human.
33. (Withdrawn – Currently Amended) The method of claim 28, wherein in the compound of formula VI:

R4, R5, R7 and R8 are independently hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl; ~~and,~~

~~**R4 is hydrogen, halogen, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl.**~~

34. (Withdrawn) The method of claim 28, wherein in the compound of formula VI:

x is CR11;

y is CR12;

z is CR13;

r is CR14;

x' is CR15;

y' is CR16;

z' is CR17; and

r' is CR18.

35. (Canceled)

36. (Withdrawn) The method of claim 28, wherein in the compound of formula VI:

x is CR11;

y is CR12;

z is CR13;

r is CR14 or N;







x' is CR15;


y' is CR16;

z' is CR17; and


r' is CR18 or N.

37. (Withdrawn) The method of claim 28, wherein in the compound is selected from:







81




82




88




89




90




94




97




99




100




101




102




103




104




105




106




113




114




117




118




119




123




124




126




127




129




130




131




132




133




134




135




136




139




142




143




145




146




147




155




156




157




158




161




164




165




167




168




169




170




172




173




174




175




176




177




178




179




185
















186




187









203




204




205




206




207




208




209




210












211



























212







214











38. (Withdrawn) The method of claim 28, wherein said compound is:



39. (Previously Presented) The compound according to claim 21, wherein said compound is:



40. (Previously Presented) The compound according to claim 21, wherein:

x is CR11;

y is CR12;

z is CR13;

r is N;

x' is CR15;

y' is CR16;

z' is CR17; and

r' is N.

41. (Previously Presented) The compound according to claim 21, wherein:

x is CR11;

y is CR12;

z is CR13;

r is N;

x' is CR15;

y' is CR16;

z' is CR17;

r' is N; and

wherein R11, R12, R13, R15, R16, and R17 are hydrogen.

42. (Currently Amended) The compound according to claim 21, wherein:

x is CR11;

y is CR12;

z is CR13;

r is N;

x' is CR15;

y' is CR16;

z' is CR17;

r' is N;

R4, R5, R7 and R8 are independently hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONHNH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl; **and**

R11, R12, R13, R15, R16, and R17 are hydrogen; ~~and,~~

~~**R4 is hydrogen, halogen, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONHNH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl.**~~

43. (Previously Presented) The compound according to claim 21, wherein:

x is CR11;

y is CR12;

z is CR13;

r is N;

x' is CR15;

y' is CR16;

z' is CR17;

r' is N;

R4 is hydrogen;

R5, R7 and R8 are independently hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl; and

wherein R11, R12, R13, R15, R16, and R17 are hydrogen.

44. (Withdrawn) The compound according to claim 21, wherein:

x is CR11;

y is CR12;

z is CR13;

r is N;

x' is CR15;

y' is CR16;

z' is CR17;

r' is N;


R4 is hydrogen;

R5, R7 and R8 are independently hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, $-\text{CONH}\text{NH}_2$ or $-\text{S}(\text{O})_{0-2}\text{R}$ wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl; and


wherein R11, R12, R13, R15, R16, and R17 are hydrogen;

R10 is lower alkyl, substituted lower alkyl, methoxy, acyl or $-\text{SO}_2\text{PhCH}_3$; and
wherein R11, R12, R13, R15, R16, and R17 are hydrogen.


45. (Previously Presented) The compound according to claim 21, selected from:



90



97



114

